




**OWNER'S MANUAL**  
**MANUAL DE USUARIO**

**PRO-DRN2**

**3" TITANIUM VOICE COIL  
BOLT-ON COMPRESSION DRIVER  
WITH NEODYMIUM MAGNET**




DRIVER DE COMPRESION PARA  
ATORNILLAR CON BOBINA DE TITANIO  
DE 3" Y MAGNETO DE NEODIMIO



ENGLISH | ESPAÑOL




# PRO-DRN2





SPL vs Freq



**SPECIFICATIONS / ESPECIFICACIONES:**

Throat Diameter / Diámetro de la Garganta .....	2" / 50.8 mm
Installation Type / Tipo de Instalacion .....	Bolt on
Nominal Impedance / Impedancia Nominal .....	8 ohm
AES Power Handling / Manejo de Potencia AES .....	200W
Program Power Handling / Manejo de Potencia Program .....	400W
Peak Power Handling / Manejo de Potencia Peak .....	800W
Sensitivity (1w/1m) / Sensibilidad (1w/1m).....	110dB
Frequency Response / Respuesta de Frecuencia .....	500Hz-18KHz
Recommended Hi Pass Crossover / Crossover de Paso Alto Recomendado .....	800 Hz

**MOTOR / MOTOR**

Voice Coil Diameter / Diámetro de la Bobina de Voz .....	3" / 76.2 mm
VC Former Material / Material Interior de Bobina Móvil .....	Kapton
Winding Material / Material de Bobinado .....	Aluminum / Aluminio
Diaphragm Material / Material del Diafragma .....	Titanium / Titanio
Magnet Material / Material del Imán.....	Neodymium / Neodimio
Magnet Weight / Peso del Imán .....	12 oz
Body Material / Material de la Carcasa .....	Aluminum / Aluminio
Body Color/Finish / Color/Acabado de la Carcasa .....	Black/Machined / Negro/Mecanizado

**MEASUREMENTS / MEDIDAS:**

Overall Diameter / Diámetro Total.....	5.15" / 131mm
Overall Depth / Profundidad Total.....	2.11" / 53.8mm
Bolt Pattern - Type / Patrón de Perno - Tipo .....	4*M6
Mounting Depth / Profundidad de Montaje.....	2.11" / 53.8mm



FOR MORE INFORMATION  
PLEASE VISIT  
[DS18.COM](http://DS18.COM)

*WE LIKE IT LOUD*

The DS18 logo, consisting of the letters "DS18" in a bold, stylized, red font. The "D" and "S" are connected, and the "18" is separate. A registered trademark symbol (®) is located to the upper right of the "8".

**DS18<sup>®</sup>**